none NISTref entrynone Stallings2013nse CSAtnn NIS Tdef



Lennart Franked (MIUN IKS)

## The Magical Cloud

#### Lennart Franked

Department for Information and Communicationsystems (ICS), Mid Sweden University, Sundsvall.

#### 2014-10-20



Lennart Franked (MIUN IKS)

2014-10-20 1 / 42

- 一司

## Overview

#### Cloud Computing

- Definition of Cloud
- Essential Characteristics
- Service Models
- Deployment Models
- Putting it all in a context

#### Cloud Computing Reference Architecture

- NIST Conceptual Reference Model
- Actors within the conceptual reference model

#### Cloud Security Risks and Countermeasures

- Cloud-specific security threats
- Data protection in the Cloud
- Cloud Security as a Service ((C)SecaaS)

2014-10-20

#### Literature

The lecture covers chapter 5 "Network Access Control and Cloud Security" in [1]. When finished reading the chapter, you should solve problems 5.2 and 5.3 in [1], note however that in 5.3 instead of writing a brief paper, publish the URL in the forum along with a brief summary of the what the video addresses.


#### NIST definition of Cloud Computing

"A model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction. This cloud model promotes availability and is composed of *five essential characteristics, three service models, and four deployment models.*" [2]



< 3 > < 3 )</p>

## Cloud Computing Elements





Figur : Found in [1]




Lennart Franked (MIUN IKS)

2014-10-20 5 / 42

イロト イポト イヨト イヨト

#### Broad Network Access Essential Characteristics




Figur : Broad Network Access [1]

#### • Available over the network.

- Accessible over standard mechanisms.
- Heterogeneous client platforms.



#### Broad Network Access Essential Characteristics



Figur : Broad Network Access [1]


#### • Available over the network.

- Accessible over standard mechanisms.
- Heterogeneous client platforms.



3 🖒 🖌 3

#### Broad Network Access Essential Characteristics



Figur : Broad Network Access [1]

- Available over the network.
- Accessible over standard mechanisms.
- Heterogeneous client platforms.



## Rapid Elasticity Essential Characteristics




Figur : Rapid Elasticity [1]

- Resources can be provisioned and released based on requirements.
- Either manually or automatically.



## Rapid Elasticity Essential Characteristics



· ·8a. · · ·ap.a \_.acciect, [1]

- Resources can be provisioned and released based on requirements.
- Either manually or automatically.



Lennart Franked (MIUN IKS)

#### Measured Service Essential Characteristics



Figur : Measured Service [1]

- Able to measure the usage of each consumer.
- Storage, processing, bandwidth, et cetera.



#### Measured Service Essential Characteristics



Figur : Measured Service [1]

- Able to measure the usage of each consumer.
- Storage, processing, bandwidth, et cetera.



## **On-Demand Self-Service**

Essential Characteristics




Figur : On-Demand Self-Service [1]

• The consumer should be able to provision computing capabilities as needed without having to involve each service provider.



## Resource Pooling Essential Characteristics



Figur : Resource Pooling [1]

- The providers computing resources are pooled to serve multiple consumers.
- Each consumer could have different physical and virtual resources dynamically assigned and reassigned based on requirements.



b 4 T

## Resource Pooling Essential Characteristics




Figur : Resource Pooling [1]

- The providers computing resources are pooled to serve multiple consumers.
- Each consumer could have different physical and virtual resources dynamically assigned and reassigned based on requirements.



#### Resource Pooling II Essential Characteristics



Figur : Resource Pooling [1]

- Location independent The location of the data is outside the customers knowledge and control.
- Some basic control can exist, such as which country to store the data in.

2014-10-20

#### Resource Pooling II Essential Characteristics



Figur : Resource Pooling [1]

- Location independent The location of the data is outside the customers knowledge and control.
- Some basic control can exist, such as which country to store the data in.

2014-10-20



 Certain applications that are running in the providers cloud are made available to the consumer.

- Accessible from various clients through a thin interface.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Gmail

(B)



- Certain applications that are running in the providers cloud are made available to the consumer.
- Accessible from various clients through a thin interface.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Gmail

(B)

2014-10-20



- Certain applications that are running in the providers cloud are made available to the consumer.
- Accessible from various clients through a thin interface.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Gmail

(B)



- Certain applications that are running in the providers cloud are made available to the consumer.
- Accessible from various clients through a thin interface.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Gmail

2014-10-20



Figur : Platform as a Service [1]

- Allows the consumer to create their own software using tools and libraries provided by the cloud provider.
- This software can then be run using the cloud providers resources.
- Operating system running in the cloud.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Google App Engine

(B)

2014-10-20



Figur : Platform as a Service [1]

- Allows the consumer to create their own software using tools and libraries provided by the cloud provider.
- This software can then be run using the cloud providers resources.
- Operating system running in the cloud.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Google App Engine



Figur : Platform as a Service [1]

- Allows the consumer to create their own software using tools and libraries provided by the cloud provider.
- This software can then be run using the cloud providers resources.
- Operating system running in the cloud.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Google App Engine



Figur : Platform as a Service [1]

- Allows the consumer to create their own software using tools and libraries provided by the cloud provider.
- This software can then be run using the cloud providers resources.
- Operating system running in the cloud.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Google App Engine

(B)

2014-10-20



Figur : Platform as a Service [1]

- Allows the consumer to create their own software using tools and libraries provided by the cloud provider.
- This software can then be run using the cloud providers resources.
- Operating system running in the cloud.
- The consumer do not control nor manage the underlying cloud infrastructure.
- Example: Google App Engine



Figur : Infrastructure as a Service [1]

#### • The cloud provider provides an system infrastructure to the customer.

- Processing power, storage, network, etcetera.
- Often given in the form of a Virtual Machine.
- Example: Amazon EC2

< ∃ > < ∃



Figur : Infrastructure as a Service [1]

- The cloud provider provides an system infrastructure to the customer.
- Processing power, storage, network, etcetera.
- Often given in the form of a Virtual Machine.
- Example: Amazon EC2

(B)



Figur : Infrastructure as a Service [1]

- The cloud provider provides an system infrastructure to the customer.
- Processing power, storage, network, etcetera.
- Often given in the form of a Virtual Machine.
- Example: Amazon EC2

(3)

2014-10-20



Figur : Infrastructure as a Service [1]

- The cloud provider provides an system infrastructure to the customer.
- Processing power, storage, network, etcetera.
- Often given in the form of a Virtual Machine.
- Example: Amazon EC2

(B)

### Public Cloud Deployment Models



Figur : Public Cloud [1]

#### • The cloud infrastructure is available for public use.

- Usually owned and managed by a business, academic or goverment.
- Located on the premises of the cloud provider.



#### Public Cloud Deployment Models



Figur : Public Cloud [1]

- The cloud infrastructure is available for public use.
- Usually owned and managed by a business, academic or goverment.
- Located on the premises of the cloud provider.



### Public Cloud Deployment Models



Figur : Public Cloud [1]

- The cloud infrastructure is available for public use.
- Usually owned and managed by a business, academic or goverment.
- Located on the premises of the cloud provider.



### Private Cloud Deployment Models



• The cloud infrastructure is only available for a single organization.

- Usually both owned and managed by that organisation.
- Located on or off premises.

Lennart Franked (MIUN IKS)

2014-10-20

### Private Cloud Deployment Models



• The cloud infrastructure is only available for a single organization.

- Usually both owned and managed by that organisation.
- Located on or off premises.



Lennart Franked (MIUN IKS)

## Private Cloud Deployment Models



- The cloud infrastructure is only available for a single organization.
- Usually both owned and managed by that organisation.
- Located on or off premises.

Lennart Franked (MIUN IKS)

- ( E

2014-10-20

## Hybrid Cloud Deployment Models



#### • Infrastructure is a composition of two or more deployment models.

- Each cloud infrastructure must be a unique entity.
- Allows resource portability between the cloud infrastructures.

## Hybrid Cloud Deployment Models



• Infrastructure is a composition of two or more deployment models.

#### • Each cloud infrastructure must be a unique entity.

• Allows resource portability between the cloud infrastructures.



## Hybrid Cloud Deployment Models



- Infrastructure is a composition of two or more deployment models.
- Each cloud infrastructure must be a unique entity.
- Allows resource portability between the cloud infrastructures.



## Community Cloud Deployment Models



Figur : Community Cloud [1]

#### • The cloud infrastructure is only available to a specific community.

- Owned by one or more organisations in the community, a third party or combination.
- Exists on or off premises.

(B)

2014-10-20

## Community Cloud Deployment Models



Figur : Community Cloud [1]

#### • The cloud infrastructure is only available to a specific community.

- Owned by one or more organisations in the community, a third party or combination.
- Exists on or off premises.

(3)

2014-10-20

## Community Cloud Deployment Models



#### Figur : Community Cloud [1]

- The cloud infrastructure is only available to a specific community.
- Owned by one or more organisations in the community, a third party or combination.
- Exists on or off premises.

(3)

2014-10-20

## Cloud Computing Context





Figure 5.8 Cloud Computing Context





Lennart Franked (MIUN IKS)

The Magical Cloud

2014-10-20 19 / 42

・ロト ・聞ト ・ヨト ・ヨト

## Table of Contents

#### 1) Cloud Computing

- Definition of Cloud
- Essential Characteristics
- Service Models
- Deployment Models
- Putting it all in a context

#### 2 Cloud Computing Reference Architecture

- NIST Conceptual Reference Model
- Actors within the conceptual reference model

#### Cloud Security Risks and Countermeasures

- Cloud-specific security threats
- Data protection in the Cloud
- Cloud Security as a Service ((C)SecaaS)

∃ ▶ ∢

2014-10-20

## NIST Cloud Computing Reference Architecture


#### Conceptual Reference Model

"The NIST cloud computing reference architecture focuses on the requirements of "what" cloud services provide, not a "how to" design solution and implementation. The reference architecture is intended to facilitate the understanding of the operational intricacies in cloud computing. It does not represent the system architecture of a specific cloud computing system; instead it is a tool for describing, discussing, and developing a system-specific architecture using a common framework of reference." [3]



Lennart Franked (MIUN IKS)

## NIST Cloud Computing Reference Architecture



Figur : NIST Reference Architecture[3]



Lennart Franked (MIUN IKS)

2014-10-20 22 / 42

## Five Major Actors NIST Cloud Computing Reference Architecture

Defines five major actors in the Conceptual Reference Model [3]:

## Cloud Consumer

A Person or organisation that maintains a business relationship with and uses services from Cloud Providers

## **Cloud Provider**

A person, organization or entity responsible for making a service available to interested parties.

#### **Cloud Carrier**

An intermediary that provides connectivity and transport of cloud services from provider to consumer.

## Five Major Actors NIST Cloud Computing Reference Architecture

#### Defines five major actors in the Conceptual Reference Model [3]:

#### Cloud Consumer

A Person or organisation that maintains a business relationship with and uses services from Cloud Providers

### **Cloud Provider**

A person, organization or entity responsible for making a service available to interested parties.

#### Cloud Carrier

An intermediary that provides connectivity and transport of cloud services from provider to consumer.

2014-10-20

## Five Major Actors NIST Cloud Computing Reference Architecture

#### Defines five major actors in the Conceptual Reference Model [3]:

#### Cloud Consumer

A Person or organisation that maintains a business relationship with and uses services from Cloud Providers

## **Cloud Provider**

A person, organization or entity responsible for making a service available to interested parties.

#### **Cloud Carrier**

An intermediary that provides connectivity and transport of cloud services from provider to consumer.

Lennart Franked (MIUN IKS)

2014-10-20

## Five Major Actors II NIST Cloud Computing Reference Architecture

#### Cloud Auditor

A party that conduct independent assessment of cloud services, information system operations, performance and security.

#### Cloud Broker

An entity that manages the use, performance and delivery of cloud services, and negotiates relationships between cloud provides and cloud consumers.



## Five Major Actors II NIST Cloud Computing Reference Architecture

#### **Cloud Auditor**

A party that conduct independent assessment of cloud services, information system operations, performance and security.

#### Cloud Broker

An entity that manages the use, performance and delivery of cloud services, and negotiates relationships between cloud provides and cloud consumers.



## Table of Contents

#### 1) Cloud Computing

- Definition of Cloud
- Essential Characteristics
- Service Models
- Deployment Models
- Putting it all in a context

#### 2 Cloud Computing Reference Architecture

- NIST Conceptual Reference Model
- Actors within the conceptual reference model

#### Cloud Security Risks and Countermeasures

- Cloud-specific security threats
- Data protection in the Cloud
- Cloud Security as a Service ((C)SecaaS)

## The Notorious Nine

Cloud Security Alliance

## • Cloud Security Alliance list their top nine cloud-security threats. [4]

#### Data Breaches

- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



## The Notorious Nine

Cloud Security Alliance

- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



#### • Cloud Security Alliance list their top nine cloud-security threats. [4]

- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs

#### Denial of Service

- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- Data Breaches
- Data Loss
- Account Hijacking
- Insecure APIs
- Denial of Service
- Malicious Insiders
- Abuse of Cloud Services
- Insufficient Due Diligence
- Shared Technology Issues



- By storing data in the cloud, the threat for data compromise will increase.
- Data storage implementation may vary depending on cloud provider.
  - Multi-instance model one DBMS for each subscriber.
  - Multi-tenant model one DBMS shared among multiple subscribers.



(B)

- By storing data in the cloud, the threat for data compromise will increase.
- Data storage implementation may vary depending on cloud provider.
  - Multi-instance model one DBMS for each subscriber.
  - Multi-tenant model one DBMS shared among multiple subscribers.

(B)

- By storing data in the cloud, the threat for data compromise will increase.
- Data storage implementation may vary depending on cloud provider.
  - Multi-instance model one DBMS for each subscriber.
  - Multi-tenant model one DBMS shared among multiple subscribers.

- By storing data in the cloud, the threat for data compromise will increase.
- Data storage implementation may vary depending on cloud provider.
  - Multi-instance model one DBMS for each subscriber.
  - Multi-tenant model one DBMS shared among multiple subscribers.

(B)

#### • Data must be secured while at rest, in transit and in use.

• Access to the data must be controlled.



Lennart Franked (MIUN IKS)

- Data must be secured while at rest, in transit and in use.
- Access to the data must be controlled.



Lennart Franked (MIUN IKS)

The Magical Cloud

## How could we ensure protection of our data in transit, at rest and in use?

- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.



< 3 > < 3

How could we ensure protection of our data in transit, at rest and in use?

- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.



< 3 > < 3

How could we ensure protection of our data in transit, at rest and in use?

- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.



(E)

How could we ensure protection of our data in transit, at rest and in use?

- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.



< 3 > < 3

# Securing data || Data protection in the Cloud

How could we ensure protection of our data in transit, at rest and in use?

- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.



< 3 > < 3

# Securing data || Data protection in the Cloud

How could we ensure protection of our data in transit, at rest and in use?


- Use encryption to protect the data in transit. Problems?
  - Key management with cloud provider.
- Encrypt the entire database to protect data at rest. Problems?
  - Loose the key and all data is lost as well.
  - Difficult to search and access the database.
  - User need to download entire tables or databases to be able to properly work with it.

29 / 42

(3)

2014-10-20

# Encryption scheme for a cloud-based database Data protection in the Cloud



Figur : Encryption scheme for a cloud-based Database [1]

 Mittuniversitetet

 ND SHOLK UNIVERSIT

 ▲ 王 → ④ ④ ④ ④ ④

 2014-10-20
 30 / 42

# $\mathsf{SecaaS}$

# SecaaS

"The provision of security applications and services via the cloud either to cloud-based infrastructure and software or from the cloud to the customers' on-premise systems" - Cloud Security Alliance



Lennart Franked (MIUN IKS)

The Magical Cloud

2014-10-20 31 / 42

# Categories SecaaS

## Identity and access management

Assuring the identity of an entity, and granting correct level of access.

#### Data loss prevention

Monitoring, protecting and verifying the security of the data.

#### Web security

Real-time protection to prevent web based attacks. Proxy web traffic through the Cloud Provider.

Lennart Franked (MIUN IKS)

(3)

# Categories SecaaS

## Identity and access management

Assuring the identity of an entity, and granting correct level of access.

## Data loss prevention

Monitoring, protecting and verifying the security of the data.

#### Web security

Real-time protection to prevent web based attacks. Proxy web traffic through the Cloud Provider.

Lennart Franked (MIUN IKS)

(3)

2014-10-20

32 / 42

# Categories SecaaS

## Identity and access management

Assuring the identity of an entity, and granting correct level of access.

## Data loss prevention

Monitoring, protecting and verifying the security of the data.

#### Web security

Real-time protection to prevent web based attacks. Proxy web traffic through the Cloud Provider.

Lennart Franked (MIUN IKS)

# Categories || SecaaS

# E-mail security

Control over inbound and outbound e-mail. Protection against spam, phishing, malicious attachments etcetera.

## Security Assessments

Provides tools to ease the auditing process of the cloud services.

Intrusion Management IDS/IPS



# Categories || SecaaS

## E-mail security

Control over inbound and outbound e-mail. Protection against spam, phishing, malicious attachments etcetera.

# Security Assessments

Provides tools to ease the auditing process of the cloud services.

# Intrusion Management

IDS/IPS



# Categories || SecaaS

## E-mail security

Control over inbound and outbound e-mail. Protection against spam, phishing, malicious attachments etcetera.

# Security Assessments

Provides tools to ease the auditing process of the cloud services.





< ∃ > <

## Security information and event management

Aggregates log and event data to be analysed to be able to offer real-time reporting and alerting.

## Encryption

#### Business continuity and disaster recovery

Redundancy and backups of data.

#### Network Security

General network security.

Lennart Franked (MIUN IKS)

2014-10-20 34 / 42

#### Security information and event management

Aggregates log and event data to be analysed to be able to offer real-time reporting and alerting.

# Encryption

## Business continuity and disaster recovery

Redundancy and backups of data.

#### Network Security

General network security.

Lennart Franked (MIUN IKS)

2014-10-20 34 / 42

#### Security information and event management

Aggregates log and event data to be analysed to be able to offer real-time reporting and alerting.

# Encryption

# Business continuity and disaster recovery Redundancy and backups of data.

#### Network Security

General network security.

Lennart Franked (MIUN IKS)

2014-10-20

34 / 42

## Security information and event management

Aggregates log and event data to be analysed to be able to offer real-time reporting and alerting.

# Encryption

## Business continuity and disaster recovery

Redundancy and backups of data.

## Network Security

General network security.

Lennart Franked (MIUN IKS)

# Referenser

- William Stallings. Network security essentials : applications and standards. 5. utg. International Edition. Pearson Education, 2013. ISBN: 978-0-273-79336-6.
- [2] Peter Mell and Tim Grance. *The NIST Definition of Cloud Computing*. NIST Special Publication 800-145. 2011.
- [3] Fang Liu, Jin Tong, Jian Mao, Robert Bohn, John Messina, Lee Badger and Dawn Leaf. NIST Cloud Computing Reference Architecture. NIST Special Publication 500-292. 2011.
- [4] Top Threats Working Group, Cloud Security Alliance. The Notorious Nine: Cloud Computing Threats in 2013. 2013. URL: http://www.cloudsecurityalliance.org/topthreats/.



A = A = A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A

Image: Image: